4500 (FS-INT-2204)
May 13, 1974

US
FS
IFRES
Misc
84

SB
945
.L55
D43
1974

PUBLISHED AND UNPUBLISHED REFERENCES PERTAINING TO THE LARCH CASEBEARER, *COLEOPHORA LARICELLA* (HBN.)

Compiled by: Robert E. Denton

Forestry Sciences Laboratory
Intermountain Forest and Range Experiment Station
USDA Forest Service
Moscow, Idaho

PUBLISHED AND UNPUBLISHED REFERENCES PERTAINING TO THE LARCH CASEBEARER, *COLEOPHORA LARICELLA* (HBN.)

Compiled by: Robert E. Denton

AMMAN, G. D., and S. TUNNOCK. 1971. Radiographic detection of *Agathis pumila*, a parasite of the larch casebearer. J. Econ. Entomol. 64(5):1086-1088.

ANDREWS, R. J. 1966. First record of larch casebearer on western larch in British Columbia. Can. Dep. For. Bi-month. Res. Notes 22(6):3.

ANDREWS, R. J., and N. J. GEISTLINGER. 1969. Parasites of the larch casebearer, *Coleophora laricella* (Hbn.), in British Columbia (Lepidoptera: Coleophoridae). J. Entomol. Soc. B.C. 66:50-51.

BAIRD, A. B. 1923. Some notes on the natural control of the larch sawfly and larch case bearer in New Brunswick in 1922. Acadian Entomol. Soc. Proc., N.S. (1922) 8:158-171.

BAKER, W. L. 1972. Eastern forest insects. U.S. Dep. Agric. Misc. Publ. 1175, 642 p.

BEACHER, J. H. 1947. Studies of pistol case-bearer parasites. Ann. Entomol. Soc. Am. 40:530-544.

BEAL, J. A. 1965. Forest insect control by biological methods. J. Wash. Acad. Sci. 55:38-41.

BODEN, F. 1902. Die Lärche und die Motte. Z. f. Forst- u. Jagdwes. 34:21-24.

BOE, K. N. 1958. Silvics of western larch. USDA For. Serv., Intermt. For. and Range Exp. Stn. Misc. Publ. 16, 17 p.

BOUSFIELD, W. E., and R. C. LOOD. 1973. Parasites of the larch casebearer in Montana, Idaho, and Washington. Environ. Entomol. 2(2):212-213.

BRITTON, W. E. 1924. The larch leaf-miner or case bearer. *Coleophora laricella* Hubn. P. 288-291, in: 23rd Rep. State Entomol. Conn., 1923. Conn. Agric. Exp. Stn. Bull. 256.

BRITTON, W. E. 1933. Larch case bearer, *Coleophora laricella*. P. 122, in: Plant Pest Handbook. Conn. Agric. Exp. Stn. Bull. 344.

BURST, R., AND G. EWALD. 1955. Neue Untersuchungen über die Biologie und die Bekämpfungsmöglichkeiten der Lärchenminiermotte. Allg. Forstz. 10:326-329.

CIESLA, W. M., and W. E. BOUSFIELD. 1974. Forecasting potential defoliation by larch casebearer in the northern Rocky Mountains. J. Econ. Entomol. 67(1):47-51.

CLAUSEN, C. P. 1956. Biological control of insect pests in the continental United States. U.S. Dep. Agric. Tech. Bull. 1139, 151 p.

CODY, J. B. 1963. The rate of spread of *Agathis pumila* (Ratz.) and its interaction with *Epilampsis laricinellae* (Ratz.). M.Sc. (For.) Thesis, Univ. Mich., Ann Arbor.

CODY, J. B., F. B. KNIGHT, and S. A. GRAHAM. 1967. The hymenopterous parasites *Agathis pumila* (Braconidae) and *Epilampsis laricinellae* (Eulophidae) on the larch casebearer (Lepidoptera: Coleophoridae) in the northern Lake States. Mich. Entomol. 1(5):159-167.

COPPEL, H. C., and R. D. SHENEFELT. 1960. Parasites introduced to help control the European larch casebearer--a progress report. Univ. Wisc. For. Res. Notes 53, 3 p.

COPPEL, H. C., and N. F. SLOAN. 1971. Avian predation, an important adjunct in suppression of larch casebearer and introduced pine sawfly populations in Wisconsin forests. Tall Timber Conf. Ecol., Anim. Control Habitat Manage. Proc. 2D:259-272.

CRAIGHEAD, F. C. 1950. Insect enemies of eastern forests. U.S. Dep. Agric. Misc. Publ. 657, 679 p.

DAVIAULT, L. 1949. Notes sur la biologie et les parasites du porte-case du mélèze (*Coleophora laricella* Hbn.) dans la province de Québec. Ann. de l'ACFAS 15:90-92.

DAWSON, A. F. 1971. Larch casebearer in British Columbia. Can. For. Serv., Pac. For. Res. Cent. Pest Leafl. 34, 3 p.

DENTON, R. E. 1958. The larch casebearer in Idaho--a new defoliator record for western forests. USDA For. Serv., Intermt. For. and Range Exp. Stn. Res. Note 51, 6 p.

DENTON, R. E. 1965. Larch casebearer in western larch forests. USDA For. Serv., For. Pest Leafl. 96, 6 p.

DENTON, R. E. 1967. Low-volume application of malathion for controlling larch casebearer. Mont. Acad. Sci. Proc. (1966) 26:58.

DENTON, R. E. 1967. Biological control of the larch casebearer. 18th West. For. Insect Work Conf. Proc., 1967: 67-68.

DENTON, R. E. 1972. Establishment of *Agathis pumila* (Ratz.) for control of larch casebearer, and notes on native parasitism and predation in Idaho. USDA For. Serv., Res. Note INT-164, 6 p.

DENTON, R. E., and S. TUNNOCK. 1968. Low-volume application of malathion by helicopter for controlling larch casebearer. J. Econ. Entomol. 61(2):582-583.

DENTON, R. E., and S. TUNNOCK. 1972. Larch casebearer in western larch forests. USDA For. Serv., For. Pest Peafl. 96, 8 p. (Rev.).

DONER, M. H. 1934. Observations on the biology of *Microbracon pygmaeus* (Prov.), an important parasite of *Coleophora pruniella* Cl. Ann. Entomol. Soc. Am. 27:435-442.

DONER, M. H. 1936. Hymenopterous parasites of *Coleophora pruniella* Cl., and parasites recorded from other species of *Coleophora*. Ann. Entomol. Soc. Am. 29(2):224-244.

DOOM, D. 1966. Insektenplagen in bossen en andere houtopstanden in 1965. Ned. Bosbouw Tijdschr. 38(9):313-322.

DOWDEN, P. B. 1934. Recently introduced parasites of three important forest insects. Ann. Entomol. Soc. Am. 27:601-602.

DOWDEN, P. B. 1941. Parasites of the birch leaf-mining sawfly (*Phyllotoma nemorata*). U.S. Dep. Agric. Tech. Bull. 757, 56 p.

DOWDEN, P. B. 1962. Parasites and predators of forest insects liberated in the United States through 1960. USDA For. Serv., Agric. Handb. 226, 70 p.

DOWDEN, P. B., and P. A. BERRY. 1938. European parasites of *Rhyacionia buoliana* (Schiff.), *Coleophora laricella* Hbn. and *Phyllotoma nemorata* (Fall.). J. Econ. Entomol. 31:459-460.

EIDMANN, H. H. 1958. Lärkträdsmalen (*Coleophora laricella* Hbn.). P. 399-418, in: Sven. Skogsvardfören. Tidskr.

EIDMANN, H. H. 1959. Om diapausen hos *Coleophora laricella* Hbn. Not. Entomol. 39:80-81.

EIDMANN, H. H. 1961. Zur Entwicklung von *Epilampsis boops* Thoms. und *Cirrospilus pictus* Nees, zwei Parasiten der Lärchenminiermotte *Coleophora laricella* Hbn. Entomol. Tidskr. 82:52-59.

EIDMANN, H. H. 1962. Untersuchungen über die Entwicklung von Parasiten bei *Coleophora laricella* Hbn. mit Hilfe von Röntgenphotographie. Z. f. Angew. Entomol. 50:118-125.

EIDMANN, H. H. 1965. Ökologische und physiologische Studien über die Lärchenminiermotte, *Coleophora laricella* Hbn. Stud. For. Suec. 32, 226 p.

ELLIOTT, K. R., and V. HILDAHL. 1966. First record of the larch casebearer in Manitoba. Can. Dep. For., Bi-Month. Res. Notes 22(4):3-4.

ESCHERICH, K. 1931. Die Forstinsekten Mitteleuropas. Berlin: Verlag. Paul Parey, 825 p.

EWALD, G., and R. BURST. 1959. Untersuchungen über Lärchenblasenfuss und Lärchen-miniermotte. Allg. Forst- u. Jagdz. 130:173-181.

FAL'KOVICH, M. I. 1964. Casebearers (Lepidoptera: Coleophoridae) damaging the larch in the U.S.S.R. Their distribution and historical relations to host plants. Zool. J. 43(6):851-858. (Transl. from Russian). Can. Dep. For. Transl. 8, 20 p.

FELT, E. P. 1905. Insects affecting park and woodland trees. N.Y. State Mus. Mem. 8:170-171.

FERNALD, H. T. 1919. Notes on the larch case bearer (*Coleophora laricella* Hbn.). Can. Entomol. 51(11):264.

FLETCHER, J. 1906. Insects injurious to Ontario crops in 1905. Entomol. Soc. Ont. Annu. Rep. 36:90.

FRANSEN, J. J. 1948. Bestrijding van de Lariksmot (*Coelophora laricella*). Ned. Boschb.-Tijdschr. 20:41-56.

FREEMAN, T. N. 1967. Annotated keys to some nearctic leaf-mining Lepidoptera on conifers. Can. Entomol. 99(4):419-435.

FULMEK, L. 1962. Parasitinsekten der Blattminierer Europas. Den Haag. 203 p.

GAUSS, R. 1957. Die Lärchenminiermotte, *Coleophora laricella* Hb. ein neuer Schädling an der Douglasie? Z. f. Angew. Entomol. 40:52-54.

GAUSS, R. 1960. Über Nahrungspflanzen-Wechsel bei Insekten. Z. f. Angew. Entomol. 45(3):313-316.

GOULD, E., and G. H. GEISSLER. 1940. Parasites of the pistol case-bearer. J. Econ. Entomol. 33(5):814-815.

GRAHAM, A. R. 1944. The establishment of some imported parasites of the larch casebearer, *Haplotilia laricella* Hbn., in Ontario. Entomol. Soc. Ont. Annu. Rep. (1943) 74:48-52.

GRAHAM, A. R. 1949. Developments in the control of the larch casebearer, *Coleophora laricella* (Hbn.). Entomol. Soc. Ont. Annu. Rep. (1948) 79:45-50.

GRAHAM, A. R. 1958. Effectiveness of two introduced parasites of the larch case-bearer, *Coleophora laricella* (Hbn.) (Lepidoptera: Coleophoridae), in Ontario. Entomol. Soc. Ont. Annu. Rep. (1957) 88:37-41.

GRAHAM, M. R. V. deV. 1963. Additions and corrections to the British list of Eulophidae (Hym. Chalcidoidea), with descriptions of some new species. Trans. Soc. Brit. Entomol. 15(9).

GRAHAM, S. A. 1931. The effect of defoliation on tamarack. J. For. 29(2):199-206.

HAGEN, H. A. 1886. *Coleophora laricella* Hb. very injurious to *Larix europea* in Massachusetts. Can. Entomol. 18:125-126.

HERRICK, G. W. 1911. Notes on the life-history of the larch casebearer (*Coleophora laricella.*). Ann. Entomol. Soc. Am. 4:68-70.

HERRICK, G. W. 1912. The larch case-bearer. P. 37-54, in: Cornell Univ. Agric. Exp. Stn. Bull. 322.

HERRICK, G. W. 1935. The larch case-bearer *Coleophora laricella* Hbn. P. 138-140, in: Insect enemies of shade trees. Ithaca, N.Y.: Comstock Publ. Co., 417 p.

HUFFAKER, C. B. (ed.). 1971. Biological control. N.Y. and Lond.: Plenum Press, 511 p.

IVES, W. G. H., and L. D. NAIRN. 1966. Effects of defoliation on young upland tamarack in Manitoba. For. Chron. 42(2):137-142.

JAGSCH, A. 1973. Populationsdynamik und Parasitenkomplex der Lärchminiermotte, *Coleophora laricella* Hbn., im natürlichen Verbreitungsgebiet der Europäischen Lärche, *Larix decidua* Mill. Z. f. Angew. Entomol. 73(1):1-42.

JAHN, E., and A. SINREICH. 1960. Auftreten von Forstschädlingen in Österreich 1950-1959. Anz. f. Schädlingskde 33:117-125.

JUNG, W. 1942. Beiträge zur Kenntnis der Lärchenminiermotte (*Coleophora laricella* Hbn.). Z. f. Angew. Entomol. 29:475-517.

KARPIŃSKI, J. J. 1963. Insects feeding on the Polish larch (*Larix polonica* Rac.). Prace Instytutu Badawczego Leśnictwa No. 265, p. 3-50. (Transl. from Polish). U.S. Dep. Commerce TT 66-57021, 49 p.

LEAPHART, C. D., and R. E. DENTON. 1961. Needle discolorations of western larch. USDA For. Serv. For. Pest Leafl. 61, 7 p.

LUITJES, J. 1971. Lariksmot op douglas. Nederlands Bosbouw Tijdschr. 43(1):21-24.

LYON, R. L., and M. E. MAY. 1970. Toxicity of aerosols to larch casebearer larvae. USDA For. Serv. Res. Note PSW-208, 3 p.

MCGUGAN, B. M., and H. C. COPPEL. 1962. A review of the biological control attempts against insects and weeds in Canada. Part II: Biological control of forest insects, 1910-1958. Tech. Commun. 2, Commonw. Inst. Biol. Control, Trinidad, 216 p.

MALENOTTI, E. 1924. Gli endofagi indigeni contro la *Coleophora laricella*. (Conviene proprioaiutarne la diffusione?) L'Italia Agricola, 7S.

MALENOTTI, E. 1935. Un problema di estetica montana: la coleofora del larice. Atti Accad. Verona 13:153-158.

MARTI, F. 1880. Die Lärchen-Minirmotte im Berner Oberland. Schweiz. Z. f.d. Forstwesen, p. 29-32.

NEEDHAM, J. G., S. W. FOREST, and B. H. TOTHILL. 1928. Larch casebearer. P. 144-147, in: Leaf mining insects. The Williams and Wilkins Co.

POSTNER, M. 1963. Insektenschäden an der Lärche ausserhalb ihres natürlichen Verbreitungsgebietes. Forst-Wiss. Centralbl. 82:27-33.

PATCH, E. M. 1906. Notes on insects: Larch case-bearer, *Coleophora laricella* Hbn. Maine Agric. Exp. Stn. Bull. 134: 218-220.

PEIRSON, H. B. 1927. Larch casebearer. P. 76-78, in: Manual of forest insects. Maine For. Serv. Bull. 5.

PSCHORN-WALCHER, H. 1964. On the parasites of some injurious Lepidoptera from northern Japan. Commonw. Inst. Biol. Control Tech. Bull. 4:24-37.

QUEDNAU, F. W. 1966. Notes on the life-history and morphology of *Chrysocharis laricinellae* (Ratzeburg) (Hymenoptera, Eulophidae), a parasite of the larch casebearer (Hubner). Ann. Entomol. Soc. Quebec 11(3):200-205.

QUEDNAU, F. W. 1967. Notes on mating behavior and oviposition of *Chrysocharis laricinellae* (Hymenoptera: Eulophidae), a parasite of the larch casebearer (*Coleophora laricella*). Can. Entomol. 99(3):326-331.

QUEDNAU, F. W. 1967. Ecological observations on *Chrysocharis laricinellae* (Hymenoptera: Eulophidae), a parasite of the larch casebearer (*Coleophora laricella*). Can. Entomol. 99(6):631-641.

QUEDNAU, F. W. 1967. Notes on mating, oviposition, adult longevity, and incubation period of eggs of the larch casebearer, *Coleophora laricella* (Lepidoptera: Coleophoridae), in the laboratory. Can. Entomol. 99(4):397-401.

QUEDNAU, F. W. 1968. Distribution and effectiveness of larch casebearer parasites in southwestern Quebec. Can. Bi-Month. Res. Notes 24(3):22-23.

QUEDNAU, F. W. 1969. Laboratory propagation of the parasite *Chrysocharis laricinellae* (Hymenoptera: Eulophidae) and notes on interaction with its host, *Coleophora laricella*. Can. Entomol. 101(1):100-106.

QUEDNAU, F. W. 1970. Competition and co-operation between *Chrysocharis laricinellae* and *Agathis pumila* on larch casebearer in Quebec. Can. Entomol. 102(5):602-612.

QUEDNAU, F. W. 1970. Notes on life-history, fecundity, longevity, and attack pattern of *Agathis pumila* (Hymenoptera: Braconidae), a parasite of the larch casebearer. Can. Entomol. 102(6):736-745.

RAIGORODSKAYA, I. A. 1966. Order Lepidoptera: P. 228, 252-253, 351, in: Rozhkov, A. S. (ed.), Pests of Siberian larch. Acad. Sci. USSR. Sib. Dep. East-Sib. Biol. Inst. (Transl. from Russian). USDA TT 70-50043, 393 p.

REISSIG. 1869. Die Lerchenmotte, *Coleophora laricella* Hb., *Tin. laricinella* Bchst. Z. f. Forst- u. Jagdwes. 1:129-137.

RYAN, R. B. 1974. Laboratory reactivation of diapausing larch casebearer larvae following different lengths of winter exposure. USDA For. Serv. Res. Note PNW-218, 4 p.

RYAN, R. B., and R. E. DENTON. 1973. Initial releases of *Chrysocharis laricinellae* and *Dicladocerus westwoodii* for biological control of the larch casebearer in the western United States. USDA For. Serv. Res. Note PNW-200, 4 p.

SCHAFFNER, J. V., JR. 1937. The larch case-bearer (*Coleophora laricella* Hbn.). Mass. For. and Park Assoc. Tree Pest Leafl. 12, 3 p.

SCHAFFNER, J. V., JR. 1952. Larch case-bearer (*Coleophora laricella*). Mass. For. and Park Assoc., Tree Pest Leafl. 12, 1937 (Rev.). Publ. under: Baldwin, H. I., and others, Important tree pests of the Northeast, 2nd ed., 1952.

SCHAFFNER, J. V., JR. 1959. Microlepidoptera and their parasites reared from field collections in the northeastern United States. U.S. Dep. Agric. Misc. Publ. 767, 97 p.

SCHELLER, H. D. 1957. Versuche zur Bekämpfung von *Coleophora laricella* Ein Beitrag zur Wirkung von Kontaktinsektiziden auf die Kronenfauna. Anz. Schädlingsk. 30(12):203-207.

SCHIMITSCHEK, E. 1966. Über Ursachen der Befallsbereitschaft für Nadelfresser der Lärche in ihren natürlichen Verbreitungsgebiet. Centralbl. ges. Forstwes. 83(1): 1-23.

SCHINDLER, U. 1965. Zur Bekämpfung der Lärchenminiermotte. Forst Holzw. 20:348-353.

SCHINDLER, U. 1968. Population change in a typical perennial forest pest, the larch casebearer. (Transl. from German). Can. Dep. Fish. For. Transl. OOFF-111, 13 p.

SCHINDLER, U. 1970. Massenwechsel eines typischen forstlichen Dauerschädlings, der Lärchenminermotte *Coleophora laricella*. Z. f. Angew. Entomol. 61(4):380-386.

SCHINDLER, U. 1971. Control of forest insects by ultra-low volume spraying (*Coleophora laricella*). Plant Prot. Organ. Bull. O. E. pp.2: 49-55.

SCHNEIDER, G. 1957. On the influence of the feeding of the larch casebearer on the foliage and growth of the larch. Forstarchiv 28:113-117.

SCHOBER, R. 1953. Die japanische Lärche. Schriftenreihe Forstl. Fakultät u. Mitteil. Niedersächs. Forstl. Versuchsanst. 7/8, 212 S., Frankfurt (Sauerländer).

SCHÖNWIESE, I. F. 1937. Einige Beobachtungen über das Auftreten und den Parasiten-Befall der Lärchenminiermotte. Centralbl. ges. Forstwes. 62:312-316.

Schremmer, F. 1959. Beobachtungen und Untersuchungen über die Insektenfauna der Lärche (*Larix decidua*) im östlichen Randgebiet ihrer natürlichen Verbreitung, mit besonderer Berücksichtigung einer Grossstadtlärche. Z. f. Angew. Entomol. 45(1): 1-48.

SCHWARZ, I. H. 1933. Neue Schädlinge der Douglasie. Z. f. Pflanzenkr. und Planzenschutz 43:417-418.

SCHWENKE, W. 1958. Über die Standortabhängigkeit des Massenwechsels der Lärchenminiermotte, *Coleophora laricella* Hb., und der Ahornеule, *Acronycta aceris* L. Beitr. z. Entomol. 8(3/4):241-290.

SCHWERDFERGER, F. 1961. Das Eichenwickler-Problem. Auftreten, Schaden, Massenwechsel und Möglichkeiten der Bekämpfung von *Tortrix viridana* L. in Nordwestdeutschland. Forsch. u. Berat., Reihe C,H.1, Hiltrup b. Münster Westf. (Landwirtschaftswerlag GmbH).

SCHWERDFERGER, F., and G. SCHNEIDER. 1957. Über den Einfluss von Lärchenminiermotten-Frass auf Benadelung und Zuwachs der Lärche. Forstarchiv 28:113-117.

ŠINDELAR, J., and R. HOCHMUT. 1972. Variability in the occurrence of some insect pests on various provenances of European larch *Larix decidua* Mill. Silvae Genet. 21(3-4):86-93.

SKUHRAVÝ, V. 1973. Field control of the larch case-bearer moth, *Coleophora laricella*, with a juvenoid. Acta Entomol. Sohemoslov. 70(5):313-322.

SLOAN, N. F. 1965. Biotic factors affecting populations of the larch casebearer, *Coleophora laricella* Hbn., in Wisconsin. Ph.D. Thesis, Univ. Wisc., Madison, 193 p.

SLOAN, N. F., and H. C. COPPEL. 1964. A technique for the laboratory observation of bird predation. Proc. North Central Br., Entomol. Soc. Am. 19:63-64.

SLOAN, N. F., and H. C. COPPEL. 1964. An entomology research project in the arboretum--larch casebearer. Univ. Wisc., Madison, Arbor. News 13:2-3.

SLOAN, N. F., and H. C. COPPEL. 1965. Population fluctuations of the larch casebearer, *Coleophora laricella* Hbn. in the University Arboretum, Madison, Wisconsin, 1962-1964. Univ. Wisc. For. Res. Notes 122, 3 p.

SLOAN, N. F., and H. C. COPPEL. 1965. Seasonal history and parasite complex of the larch casebearer, *Coleophora laricella* Hbn. in Wisconsin. Univ. Wisc. For. Res. Notes 123, 6 p.

SLOAN, N. F., and H. C. COPPEL. 1965. Oviposition patterns and egg predation of the larch casebearer, *Coleophora larciella* Hbn. in Wisconsin. Univ. Wisc. For. Res. Notes 124, 4 p.

SLOAN, N. F., and H. C. COPPEL. 1965. The insect parasites of the larch casebearer, *Coleophora laricella* Hübner, (Lepidoptera: Coleophoridae), in Wisconsin with keys to the adults and mature larval remains. Wisc. Acad. Sci., Arts and Lett. 54: 125-146.

SLOAN, N. F., and H. C. COPPEL. 1968. Ecological implications of bird predators on the larch casebearer in Wisconsin. J. Econ. Entomol. 61(4):1067-1070.

SWAINE, J. M. 1933. Insect activities. For. Chron. 9(4):11.

TAKAGI, G. 1932. New forest pest in Korea. Chosen Sanrinkwaihô 94:42-49. (Abstr. in Jap. J. Zool. 5(2):6 (1933)).

THALENHORST, W. 1953. Zur Bekämpfung der Lärchenminiermotte. Holz-Zentralbl. 79(81): 893-894.

THEOBALD, F. V. 1904. The larch *Coleophora* or leaf miner (*Coleophora laricella*, Hubner). Gardeners' Chron. 36:181-182.

THORPE, W. H. 1933. Notes on the natural control of *Coleophora laricella*, the larch case-bearer. Bull. Entomol. Res. 24:271-291.

TRAGARDH, I. 1910. Lärkträdsmalen (*Coleophora laricella* Hübn.). Entomol. Tidskr. 31(4):258-264.

TUNNOCK, S., R. E. DENTON, C. E. CARLSON, and W. W. JANSSEN. 1969. Larch casebearer and other factors involved with deterioration of western larch stands in northern Idaho. USDA For. Serv. Res. Pap. INT-68, 10 p.

TURNBULL, A. L., and D. A. CHANT. 1961. The practice and theory of biological control of insects in Canada. Can. J. Zool. 39:697-753.

VITÉ, J. P. 1954. Die Lärchenminiermotte. Holz-Zentralbl. 80:1065-1067.

VITÉ, J. P. 1955. Der Versuch einer gleichzeitigen Bekämpfung von Blasenfuss und Lärchenminiermotte, seine Grundlagen und Aussichten. Höfchen-Briefe 8:35-53.

WACHTENDORF, W. 1955. Über die Bekämpfung der Lärchenminiermotte. Anz. Schädlingsk. 28:101-102.

WEBB, F. E. 1950. Biology of the larch casebearer, *Coleophora laricella* Hübner, in New Brunswick. M.Sc.(For.) Thesis, Univ. Mich., Ann Arbor.

WEBB, F. E. 1952. The larch casebearer in the Maritime Provinces and Great Lakes region. Can. Dep. Agric. Bi-month. Progr. Rep. 8(1):1.

WEBB, F. E. 1953. An ecological study of the larch casebearer. Ph.D. Thesis, Univ. Mich., Ann Arbor.

WEBB, F. E. 1957. Sampling techniques for the overwintering stage of the larch casebearer. Can. Dep. Agric. Bi-month. Progr. Rep. 13(4):1-2.

WEBB, F. E., and R. E. DENTON. 1963. Larch casebearer, *Coleophora laricella* (Hbn.). P. 15-17, in: Important forest insects of mutual concern to member countries of the North American Forestry Commission. Compiled by Working Group on Forest Insects and Diseases, North Am. For. Comm., F.A.O. 103 p.

WEBB, F. E., and R. E. DENTON. 1967. Larch casebearer, *Coleophora laricella* (Hbn.). P. 85-88, in: Important forest insects and diseases of mutual concern to Canada, the United States and Mexico. Can. Dep. For. and Rural Develop., 248 p.

WEBB, F. E., and F. W. QUEDNAU. 1971. *Coleophora laricella* (Hübner), larch casebearer (Lepidoptera: Coleophoridae). P. 131-136, in: Biological control programmes against insects and weeds in Canada, 1959-1968. Tech. Comm. No. 4, Commonw. Inst. Biol. Control, 266 p.

WEBER, T. 1966. Abweichungen in der Entwicklung der Lärchenminiermotte, *Coleophora laricella* Hb. Anz. Schädlingsk. 39(5):72-73.

WEBER, T. 1966. Lässt sich das Einbandverfahren zur Bekämpfung der Lärchenminiermotte mittels systemischer Insektizide durch einfache Stammspritzung ersetzen? Der Forst- und Holzwirt 21(8):182-184.

WITZGALL. 1955. Beobachten sur Bekämpfung der Lärchenminiermotte. Allgem. Forst Z. 10:400.

YANO, M. 1919. Injurious forest insects which have hitherto occurred in great abundance in Japan. P. 453-470, in: Jap. Dep. Agric. and Comm. Bur. For. Rep. XI.

UNPUBLISHED REPORTS

BOUSFIELD, W. E. 1970. Parasite complex of the larch casebearer in the Northern Region. USDA For. Serv., North. Reg., Div. State and Priv. For.

BOUSFIELD, W. E. 1972. Potential for larch casebearer defoliation in the Northern Region--1972. USDA For. Serv., North. Reg., Div. State and Priv. For., Rep. 72-6, 4 p.

BOUSFIELD, W. E., and R. C. LOOD. 1971. Impact of parasites on the larch casebearer in the Northern Region--1970. USDA For. Serv., North. Reg., Div. State and Priv. For., Rep. 71-4, 13 p.

BOUSFIELD, W., and S. TUNNOCK. 1969. Surveys of larch stands damaged by the larch casebearer within the Northern Region. USDA For. Serv., North. Reg., 5 p.

CIESLA, W. M., and W. E. BOUSFIELD. 1971. Potential for defoliation of western larch by larch casebearer in the Northern Region. USDA For. Serv., North. Reg., Div. State and Priv. For., Rep. 71-3, 6 p.

CIESLA, W. M., and W. E. BOUSFIELD. 1971. Forecasting larch casebearer defoliation in the Northern Region--progress report. USDA For. Serv., North. Reg., Div. State and Priv. For. Rep. 71-33, 4 p.

DAWSON, A. F. 1969. Larch casebearer studies in British Columbia. Can. For. Serv., Pac. For. Res. Cent., Victoria, B.C. (unpubl. rep.).

DENTON, R. E. 1958. Defoliating insects of western larch in the northern Rocky Mountains, 1957. USDA For. Serv., Intermt. For. and Range Exp. Stn. (Missoula For. Insect Lab.), 4 p.

DENTON, R. E. 1958. Summary of forest insect conditions in northeastern Washington, 1958. USDA For. Serv., Intermt. For. and Range Exp. Stn. (Missoula For. Insect Lab.), 2 p.

DENTON, R. E. 1958. Studies of the biology, ecology, and control of western larch foliage-feeding insects, 1958 plan of work. USDA For. Serv., Intermt. For. and Range Exp. Stn. (Missoula For. Insect Lab.), 11 p.

DENTON, R. E. 1959. Studies of the biology, ecology, and control of the larch casebearer in western larch, 1959 plan of work. USDA For. Serv., Intermt. For. and Range Exp. Stn. (Missoula For. Insect Lab.), 4 p.

DENTON, R. E. 1960. Study plan: Biological control of the larch casebearer in western larch forests. USDA For. Serv., Intermt. For. and Range Exp. Stn. (Missoula For. Insect Lab.), 3 p.

DENTON, R. E. 1961. Outline of 1962 study plan supplement: Biological control of the larch casebearer in western larch forests. USDA For. Serv., Intermt. For. and Range Exp. Stn. (Missoula For. Insect Lab.), 5 p.

DENTON, R. E. 1964. The larch casebearer in western larch forests: A problem analysis. USDA For. Serv., Intermt. For. and Range Exp. Stn., 24 p.

DENTON, R. E. 1970. Larch casebearer in western larch forests: A problem analysis (revised). USDA For. Serv., Intermt. For. and Range Exp. Stn., 28 p.

OSTOFF, DON. 1972. A case history of larch casebearer. Simon Fraser Univ., Burnaby, B.C., 33 p. (In Pac. For. Res. Cent. Lab., Victoria, B.C.)

SCHMIDT, W. C., and R. E. DENTON. 1969. Study plan: Relationship of larch casebearer populations to young western larch development under different stand densities, Coram Experimental Forest, Montana, 1969. USDA For. Serv., Intermt. For. and Range Exp. Stn., 11 p.

SHEPHERD, R. F., and D. A. ROSS. 1973. Problem analysis: Larch casebearer in B.C. Can. Dep. Environ., For. Serv., Pac., For. Res. Cent., Victoria, B.C., Intern. Rep. BC-37, 22 p.

TERRELL, T. T. 1962. Larch casebearer in the Northern Region. USDA For. Serv., North. Reg., 2 p.

TERRELL, T. T. 1963. Larch casebearer in Idaho and Montana. USDA For. Serv., North. Reg., 2 p.

TERRELL, T. T., and R. E. DENTON. 1965. Introducing parasites to control larch casebearer in the Northern Region, 1964. USDA For. Serv., North. Reg., 20 p.

TERRELL, T. T., and R. E. DENTON. 1966. Biological control of the larch casebearer in the Northern Region, 1965. USDA For. Serv., North. Reg., 10 p.

TERRELL, T. T., and R. E. DENTON. 1966. Biological control of larch casebearer by parasites in the Northern Region, 1966. USDA For. Serv., North. Reg., 3 p.

TUNNOCK, S. 1962. Preliminary tests with lindane, malathion, and DDT insecticides applied by helicopter to control the larch casebearer in Idaho. USDA For. Serv., North. Reg., 9 p.

TUNNOCK, S. 1968. The larch casebearer problem in the Northern Region during 1967. USDA For. Serv., North. Reg., 3 p.

TUNNOCK, S. 1968. The establishment and natural spread of the larch casebearer parasite, *Agathis pumila*, in the Northern Region. USDA For. Serv., North. Reg., 6 p.

TUNNOCK, S. 1970. Study plan on the use of 70 mm. color photography for evaluating damage caused by the larch casebearer in the Northern Region. USDA For. Serv., North. Reg., 4 p.

TUNNOCK, S. 1970. Progress report on a study to determine larch casebearer populations and damage at various elevations. USDA For. Serv., North. Reg., 5 p.

TUNNOCK, S. 1971. Larch casebearer infestations in the Northern Region--1970. USDA For. Serv., North. Reg., Div. State and Priv. For. Rep. 71-1, 2 p.

TUNNOCK, S. 1971. Spread of the larch casebearer infestation in the Northern Region--1971. USDA For. Serv., North. Reg., Div. State and Priv. For. Rep. 71-41, 2 p.

TUNNOCK, S. 1972. Observations on the decline of western larch defoliated by larch casebearer in the Northern Region. USDA For. Serv., North. Reg., Div. State and Priv. For. Rep. I-72-7, 4 p.

TUNNOCK, S., and W. BOUSFIELD. 1969. The spread of the larch casebearer in the Northern Region and attempts at biological control with *Agathis pumila*. USDA For. Serv., North. Reg., 10 p.

TUNNOCK, S., and F. W. HONING. 1967. Distribution of *Agathis pumila* for biological control of the larch casebearer in the Northern Region. USDA For. Serv., North. Reg., 7 p.

TUNNOCK, S., W. BOUSFIELD, and C. E. CARLSON. 1968. Surveys to detect and evaluate larch dieback in stands infested with the larch casebearer in the Northern Region. USDA For. Serv., North. Reg., 5 p.

TUNNOCK, S., K. W. KEEFE, and R. E. DENTON. 1964. Aerial pilot test using low volumes of undiluted malathion to kill larch casebearer larvae. USDA For. Serv., North. Reg., 6 p.

TUNNOCK, S., M. McGREGOR, and W. BOUSFIELD. 1972. Distribution of larch casebearer parasites in the crowns of western larch trees in the Northern Region. USDA For. Serv., North. Reg., Div. State and Priv. For. Rep. 72-4, 7 p.